














































Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl
	Mapress C-Stahl Systemrohr, kunststoffummantelt			Mapress C-Stahl Kombirohr mit Anschweißende			Mapress C-Stahl Bogen 90°	
19201	12	.....	12412	15	.....	20101	12	.....
19202	15	.....	12413	18	.....	20102	15	.....
19203	18	.....	12414	22	.....	20103	18	.....
19204	22	.....	12415	28	.....	20104	22	.....
19205	28	.....	12416	35	.....	20105	28	.....
19206	35	.....	12417	42	.....	23106	35	.....
19207	42	.....	12418	54	.....	23107	42	.....
19208	54	.....	12419	76,1	.....	23108	54	.....
			12420	88,9	.....	20109	76,1	.....
			12421	108	.....	20110	88,9	.....
						20111	108	.....
	Mapress C-Stahl Rohr, außen verzinkt			Mapress C-Stahl Muffe			Mapress C-Stahl Bogen 90°, mit Einschubende	
29101	12	.....	22001	12	.....	20301	12	.....
29102	15	.....	22002	15	.....	20302	15	.....
29103	18	.....	22003	18	.....	20303	18	.....
29104	22	.....	22004	22	.....	20304	22	.....
29105	28	.....	22005	28	.....	20305	28	.....
29106	35	.....	22006	35	.....	23306	35	.....
29107	42	.....	22007	42	.....	23307	42	.....
29108	54	.....	22008	54	.....	23308	54	.....
29159	76,1	.....	22009	76,1	.....	20309	76,1	.....
29160	88,9	.....	22010	88,9	.....	20310	88,9	.....
29161	108	.....	22011	108	.....	20311	108	.....
	Mapress C-Stahl Rohr, innen/außen verz. (Druckluft, Löschwasser)			Mapress C-Stahl Schiebemuffe			Mapress C-Stahl Bogen 45°	
19402	15	.....	22101	12	.....	20601	12	.....
19403	18	.....	22102	15	.....	20602	15	.....
19404	22	.....	22103	18	.....	20603	18	.....
19405	28	.....	22104	22	.....	20604	22	.....
19406	35	.....	22105	28	.....	20605	28	.....
19407	42	.....	22106	35	.....	23606	35	.....
19408	54	.....	22107	42	.....	23607	42	.....
19409	76,1	.....	22108	54	.....	23608	54	.....
19410	88,9	.....	22109	76,1	.....	20609	76,1	.....
19411	108	.....	22110	88,9	.....	20610	88,9	.....
			22111	108	.....	20611	108	.....

Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl
 <p>Mapress C-Stahl Bogen 45°, mit Einschubende</p>			 <p>Mapress C-Stahl T-Stück egal</p>			 <p>Mapress Messing T-Stück</p>		
20701	12	.....	22322	54-28	.....	21216	42-15-42	.....
20702	15	.....	22323	54-35	.....	21217	42-18-42	.....
20703	18	.....	22324	54-42	.....	21218	42-22-42	.....
20704	22	.....	22330	76,1-42	.....	21219	42-28-42	.....
20705	28	.....	22331	76,1-54	.....	21220	42-35-42	.....
23706	35	.....	22338	88,9-54	.....	21221	54-15-54	.....
23707	42	.....	22339	88,9-76,1	.....	21222	54-18-54	.....
23708	54	.....	22345	108-54	.....	21223	54-22-54	.....
20709	76,1	.....	22346	108-76,1	.....	21224	54-28-54	.....
20710	88,9	.....	22348	108-88,9	.....	21225	54-35-54	.....
20711	108	.....				21226	54-42-54	.....
 <p>Mapress C-Stahl Überbogen</p>			 <p>Mapress C-Stahl T-Stück reduziert</p>			 <p>Mapress C-Stahl T-Stück mit IG und Einschubende</p>		
20801	12	.....	21001	12	.....	21230	76,1-28-76,1	.....
20802	15	.....	21002	15	.....	21231	76,1-35-76,1	.....
20803	18	.....	21003	18	.....	21232	76,1-42-76,1	.....
20804	22	.....	21004	22	.....	21233	76,1-54-76,1	.....
20805	28	.....	21005	28	.....	21237	88,9-28-88,9	.....
			21006	35	.....	21238	88,9-35-88,9	.....
			21007	42	.....	21239	88,9-42-88,9	.....
			21008	54	.....	21420	88,9-54-88,9	.....
			21009	76,1	.....	21241	88,9-76,1-88,9	.....
			21010	88,9	.....	21245	108-28-108	.....
			21011	108	.....	21246	108-35-108	.....
 <p>Mapress C-Stahl Reduzierstück mit Einschubende</p>						21247	108-42-108	.....
22301	15-12	.....				21248	108-54-108	.....
22302	18-12	.....				21249	108-76,1-108	.....
22303	18-15	.....				21250	108-88,9-108	.....
22304	22-12	.....						
22305	22-15	.....						
22306	22-18	.....						
22349	28-12	.....						
22307	28-15	.....						
22308	28-18	.....						
22309	28-22	.....						
22310	35-15	.....						
22311	35-18	.....						
22312	35-22	.....						
22313	35-28	.....						
22315	42-18	.....						
22316	42-22	.....						
22317	42-28	.....						
22318	42-35	.....						
22320	54-18	.....						
22321	54-22	.....						

Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl
	Mapress C-Stahl Kreuzstück 90°			Mapress C-Stahl Übergang mit IG		21717	28-3/4"	
21504	15-15		21800	12-3/8"		21708	28-1"	
21505	18-15		21801	12-1/2"		21727	28-1 1/4"	
21506	22-15		21827	15-3/8"		21719	35-1"	
21509	22-18		21802	15-1/2"		21709	35-1 1/4"	
21507	28-15		21823	15-3/4"		21720	35-1 1/2"	
21510	28-18		21803	18-1/2"		21721	42-1 1/4"	
21512	28-22		21804	18-3/4"		21710	42-1 1/2"	
			21805	22-1/2"		21722	54-1 1/2"	
			21806	22-3/4"		21711	54-2"	
			21824	22-1"		21713	76,1-21/2"	
			21807	28-1/2"		21724	88,9-3"	
			21808	28-3/4"		21725	108-4"	
			21809	28-1"				
			21810	35-3/4"				
			21820	35-1"				
			21811	35-1 1/4"				
			21814	42-1 1/2"				
			21818	54-2"				
	Mapress C-Stahl Kreuzstück 30°						Mapress C-Stahl Übergang mit AG und Einschubende	
21404	18					21930	12-3/8"	
21406	22					21931	12-1/2"	
21409	28					21932	15-1/2"	
						21933	18-1/2"	
						21934	18-3/4"	
						21935	22-1/2"	
						21936	22-3/4"	
						21937	28-1"	
						21938	35-1 1/4"	
						21939	42-1 1/2"	
						21940	54-2"	
	Mapress C-Stahl T-Stück mit IG			Mapress C-Stahl Übergang mit IG und Einschubende				
21301	12-3/8"		21907	12-3/8"				
21302	12-1/2"		21901	12-1/2"				
21304	15-1/2"		21908	15-3/8"				
21305	18-1/2"		21902	15-1/2"				
21307	22-1/2"		21903	18-1/2"				
21308	22-3/4"		21904	18-3/4"				
21309	28-1/2"		21905	22-1/2"				
21310	28-3/4"		21906	22-3/4"				
21311	28-1"							
21312	35-1/2"							
21313	35-3/4"							
21314	35-1"							
21316	42-1/2"							
21317	42-3/4"							
21318	42-1"							
21320	54-1/2"							
21321	54-3/4"							
21322	54-1"							
21324	54-2"							
21326	76,1-3/4"							
21329	76,1-2"							
21331	88,9-3/4"							
21334	88,9-2"							
21336	108-3/4"							
				Mapress C-Stahl Übergang mit AG			Mapress C-Stahl Übergangsbogen 90° mit AG	
			21701	12-3/8"		20501	12-3/8"	
			21700	12-1/2"		20502	15-3/8"	
			21702	15-3/8"		20503	15-1/2"	
			21703	15-1/2"		20505	18-1/2"	
			21714	15-3/4"		20507	22-3/4"	
			21704	18-1/2"		20508	28-1"	
			21705	18-3/4"		23509	35-1 1/4"	
			21715	22-1/2"		23510	42-1 1/2"	
			21707	22-3/4"		23511	54-2"	
			21716	22-1"				
							Mapress C-Stahl Übergangswinkel 90° mit AG	
						21611	12-3/8"	
						21612	15-3/8"	

Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl
21613	15-1/2"		25305	22-1"		604.508	32-28	
21615	18-1/2"		25306	28-1"		605.508	40-35	
21618	22-3/4"		25307	35-1 1/4"		606.508	50-42	
21609	28-3/4"		25308	42-1 1/2"		607.508	63-54	
21610	28-1"		25309	54-2"				
	Mapress C-Stahl Übergangswinkel 90° mit IG			Mapress C-Stahl Verschraubung, flachdichtend			Adapter PushFit auf Mapress aus Rotguss	
20551	12-3/8"		25319	12		650.692	16-15	
20552	15-3/8"		25320	15		651.693	20-18	
20553	15-1/2"		25321	18		651.694	20-22	
20555	18-1/2"		25322	22		652.694	25-22	
20557	22-3/4"		25323	28				
20558	28-1/2"		25324	35			Adapter FlowFit auf Mapress aus Rotguss	
20559	28-1"		25325	42		620.240	16-15	
20560	35-1 1/4"		25326	54		620.231	20-15	
20561	42-1 1/2"					620.242	20-18	
20562	54-2"					620.232	20-22	
	Mapress C-Stahl Übergangswinkel 90° mit IG			Mapress C-Stahl Übergang mit Überwurfmutter		620.233	25-22	
21659	22-1/2"		25032	15-3/4"		620.234	32-28	
21660	28-1/2"		25033	18-3/4"		620.235	40-35	
21661	28-3/4"		25040	18-1"		620.236	50-42	
21662	28-1"		25034	22-1"		620.241	63-54	
			25044	22-1 1/4"				
			25035	28-1 1/4"			Mapress C-Stahl Übergang mit Überwurf- mutter vernickelt	
			25050	28-1 1/2"		25042	15	
			25036	35-1 1/2"		25048	18	
			25051	35-2"		25049	22	
			25037	42-1 3/4"				
			25052	42-2"			Mapress C-Stahl Flansch mit Pressmuffe, PN6	
			25053	42-2 1/4"		23744	22/DN20	
			25038	54-23/8"		23745	28/DN25	
			25054	54-21/2"		23746	35/DN32	
			25055	54-23/4"		23747	42/DN40	
			25045	76,1-3"		23748	54/DN50	
			25046	88,9-31/2"		23749	76,1/DN65	
						23750	88,9/DN80	
						23751	108/DN100	
	Mapress C-Stahl Verschraubung mit IG			Adapter Mepla auf Mapress aus Rotguss				
25300	15-1/2"		601.508	16-15				
25302	18-1/2"		602.508	20-18				
25304	22-3/4"		602.509	20-22				
			603.508	26-22				

Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl			
	Mapress C-Stahl Flansch mit Press- muffe, PN10/16		<b>91071</b>	M16 × 6,5			Mapress Heizkörperanschlussbox Typ L				
<b>23754</b>		22/DN20		<b>91072</b>	M16 × 7,0			<b>63109</b>	15		
<b>23755</b>		28/DN25			Mapress C-Stahl Kappe			Eurokonus-Anschluss- verschraubung			
<b>23756</b>		35/DN32		<b>20211</b>		12			<b>25073</b>	15-G3/4"	
<b>23757</b>		42/DN40		<b>20212</b>		15			Mapress Kreuzungs-T-Stück		
<b>23758</b>		54/DN50		<b>20213</b>		18		<b>63113</b>		15-15-15	
<b>23759</b>		76,1/DN65		<b>20214</b>		22		<b>63115</b>		18-15-18	
<b>23760</b>		88,9/DN80		<b>20215</b>		28		<b>63125</b>		18-18-18	
<b>23761</b>	108/DN100		<b>20216</b>	35			<b>63117</b>	22-15-22			
	Mapress C-Stahl Flansch mit Einschubende, PN6		<b>20217</b>	42			<b>63118</b>	22-18-22			
<b>23764</b>		22/DN20		<b>20218</b>		54				Mapress Metallrohr Anschlussbogen mit Dämmbox	
<b>23765</b>		28/DN25		<b>20219</b>		76,1		<b>63126</b>			15
<b>23766</b>		35/DN32		<b>20220</b>		88,9			Mapress Metallrohr Anschluss T-Stück mit Dämmbox		
<b>23767</b>		42/DN40		<b>20221</b>	108		<b>63127</b>	15-15-15			
<b>23768</b>		54/DN50			Mapress Absperr- ventil Messing		<b>63128</b>	18-15-18			
<b>23769</b>		76,1/DN65		<b>94922</b>		15			Mapress C-Stahl Heizkörperanschluss für Vor- und Rücklauf		
<b>23770</b>		88,9/DN80		<b>94923</b>		18		<b>24002</b>		15-15	
<b>23771</b>	108/DN100		<b>94924</b>	22			<b>24003</b>	18-15			
	Mapress C-Stahl Flansch mit Einschub- ende, PN10/16		<b>94925</b>	28			<b>24004</b>	22-15			
<b>23784</b>		22/DN20		<b>94926</b>		35			Mapress C-Stahl Heizkörperanschluss für Rücklauf		
<b>23785</b>		28/DN25		<b>94927</b>		42		<b>23602</b>		15-15	
<b>23786</b>		35/DN32		<b>94928</b>		54		<b>23603</b>		18-15	
<b>23787</b>		42/DN40			Mapress Absperrventil Messing, abgesetzt		<b>23604</b>	22-15			
<b>23788</b>		54/DN50		<b>94962</b>		15					
<b>23789</b>		76,1/DN65		<b>94963</b>		18					
<b>23790</b>		88,9/DN80		<b>94964</b>		22					
<b>23791</b>	108/DN100		<b>94965</b>	28							
	Schraubenset verzinkt		<b>94966</b>	35				Mapress Heizkörperanschlussbox Typ C			
<b>91064</b>		M10 × 4,5		<b>94967</b>	42		<b>63108</b>		15		
<b>91065</b>		M10 × 5,0		<b>94968</b>	54						
<b>91066</b>		M12 × 5,0									
<b>91067</b>		M12 × 5,5									
<b>91068</b>		M12 × 6,0									
<b>91069</b>		M16 × 5,5									
<b>91070</b>	M16 × 6,0										

Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl
	Mapress C-Stahl Heizkörperanschluss mit Eurokonus-Verschraubung für Vor- und Rücklauf			Dichtbandage Butylkautschuk	
<b>24045</b>	15-15	.....	<b>601.813</b>	30	.....
<b>24046</b>	18-15	.....	<b>601.815</b>	50	.....
<b>24047</b>	22-15	.....			.....
	Mapress C-Stahl Anschluss-T-Stück für Vor- und Rücklauf, lang				
<b>22952</b>	15-15	.....			
<b>22954</b>	18-15	.....			
<b>22956</b>	22-15	.....			
<b>22958</b>	28-15	.....			
	Mapress C-Stahl Anschluss-Kreuzstück für Vor- und Rücklauf, lang				
<b>22966</b>	15-15	.....			
<b>22968</b>	18-15	.....			
<b>22970</b>	22-15	.....			
<b>22972</b>	28-15	.....			
<b>22974</b>	35-15	.....			
	Mapress C-Stahl Anschluss-Endstück für Vor- und Rücklauf, lang				
<b>22985</b>	15-15	.....			
<b>22987</b>	18-15	.....			
<b>22989</b>	22-15	.....			
	Mapress C-Stahl Axialkompensator				
<b>23932</b>	15	.....			
<b>23933</b>	18	.....			
<b>23934</b>	22	.....			
<b>23935</b>	28	.....			
<b>23936</b>	35	.....			
<b>23937</b>	42	.....			
<b>23938</b>	54	.....			
<b>23939</b>	76,1	.....			
<b>23940</b>	88,9	.....			
<b>23941</b>	108	.....			