














| Art.-Nr. | Dimension | Anzahl | Art.-Nr. | Dimension | Anzahl | Art.-Nr. | Dimension | Anzahl |
|---|-------------------------------------|--------|---|---|--------|---|--|--------|
|  | Silent-db20 Rohre in Stangen zu 3 m | | 310.058 | 110/56 | |  | Silent-db20 Bogen 15° | |
| 305.000 | 56 | | 310.068 | 110/63 | | 305.150 | 56 | |
| 306.000 | 63 | | 310.078 | 110/75 | | 306.150 | 63 | |
| 307.000 | 75 | | 310.088 | 110/90 | | 307.150 | 75 | |
| 308.000 | 90 | | 310.108 | 110/110 | | 308.150 | 90 | |
| 310.000 | 110 | | 312.108 | 135/110 | | 310.150 | 110 | |
| 312.000 | 135 | | 312.128 | 135/135 | | 312.150 | 135 | |
| 315.001 | 160 | | 315.108 | 160/110 | | 315.150 | 160 | |
|  | Silent-db20 Abzweig 45° | |  | Silent-db20 Bogen-abzweiger 88,5° | |  | Silent-db20 Bogen 30° | |
| 305.054 | 56/56 | | 308.089 | 90/90 | | 305.300 | 56 | |
| 306.054 | 63/56 | | 310.088 | 110/90 | | 306.300 | 63 | |
| 306.064 | 63/63 | | 310.108 | 110/110 | | 307.300 | 75 | |
| 307.054 | 75/56 | |  | Silent-db20 Doppel-abzweiger 88,5°/180° | | 308.300 | 90 | |
| 307.064 | 75/63 | | 308.082 | 90/90 | | 310.300 | 110 | |
| 307.074 | 75/75 | | 310.102 | 110/110 | | 312.300 | 135 | |
| 308.054 | 90/56 | |  | Silent-db20 Eckabzweiger 88,5°/90° | | 315.300 | 160 | |
| 308.064 | 90/63 | | 308.083 | 90/90 | |  | Silent-db20 Bogen 45° | |
| 308.074 | 90/75 | | 310.083 | 110/110 | | 305.450 | 56 | |
| 308.084 | 90/90 | |  | Silent-db20 Parallelabzweiger | | 306.450 | 63 | |
| 310.054 | 110/56 | | 308.081 | 90/90 | | 307.450 | 75 | |
| 310.064 | 110/63 | | 310.081 | 110/90 | | 308.450 | 90 | |
| 310.074 | 110/75 | | 310.101 | 110/110 | | 310.450 | 110 | |
| 310.084 | 110/90 | | 310.101 | 110/110 | | 312.450 | 135 | |
| 310.104 | 110/110 | |  | Silent-db20 Abzweig 88,5° | | 315.450 | 160 | |
| 312.104 | 135/110 | | 305.058 | 56/56 | |  | Silent-db20 Bogen 45° lang | |
| 312.124 | 135/135 | | 306.058 | 63/56 | | 308.014 | 90 | |
| 315.104 | 160/110 | | 306.068 | 63/63 | | 310.014 | 110 | |
|  | Silent-db20 Abzweig 88,5° | | 307.058 | 75/56 | | 312.014 | 135 | |
| 305.058 | 56/56 | | 307.068 | 75/63 | |  | Silent-db20 Apparate Anschlusswinkel 90° | |
| 306.058 | 63/56 | | 307.078 | 75/75 | | 305.904 | 56/50 | |
| 306.068 | 63/63 | | 308.058 | 90/56 | | 305.905 | 56/56 | |
| 307.058 | 75/56 | | 308.068 | 90/63 | | 305.906 | 56/63 | |
| 307.068 | 75/63 | | 308.078 | 90/75 | | | | |
| 307.078 | 75/75 | | 308.088 | 90/90 | | | | |
| 308.058 | 90/56 | | | | | | | |
| 308.068 | 90/63 | | | | | | | |
| 308.078 | 90/75 | | | | | | | |
| 308.088 | 90/90 | | | | | | | |

| Art.-Nr. | Dimension | Anzahl | Art.-Nr. | Dimension | Anzahl | Art.-Nr. | Dimension | Anzahl |
|---|-----------------------------------|--------|---|--|--------|---|---------------------------------------|--------|
|  | Silent-db20 Bogen 67° | |  | Silent-db20 Putzstück 88,5° | |  | Silent-db20 Doppelsteck- und Fixmuffe | |
| 305.670 | 56 | | 307.333 | 75 | | 305.002 | 56 | |
| 307.670 | 75 | | 310.334 | 110 | | 306.002 | 63 | |
| 308.670 | 90 | | 312.333 | 135 | | 307.002 | 75 | |
| 310.670 | 110 | | | | | 308.002 | 90 | |
| | | | | | | 310.002 | 110 | |
| | | | | | | 312.002 | 135 | |
| | | | | | | 315.002 | 160 | |
|  | Silent-db20 Bogen 88,5° | |  | Silent-db20 Schachtabzweig mit Innenradius, rechts | | | | |
| 305.880 | 56 | | 310.171 | 110/110/75 | | | | |
| 306.880 | 63 | | 310.871 | 110/90/75 | |  | Silent-db20 Langmuffe | |
| 307.880 | 75 | | | | | 307.012 | 75 | |
| 308.880 | 90 | | | | | 308.012 | 90 | |
| 310.880 | 110 | |  | Silent-db20 Schachtabzweig mit Innenradius, links | | 310.012 | 110 | |
| 312.880 | 135 | | 310.172 | 110/110/75 | | 312.012 | 135 | |
| | | | 310.872 | 110/90/75 | | 315.012 | 160 | |
|  | Silent-db20 Bogen 88,5° | |  | Silent-db20 Kombiabzweig | |  | Silent-db20 Spannbride | |
| 315.885 | 160 | | 308.811 | 90/90/56 | | 305.003 | 56 | |
| | | | 310.811 | 110/90/56 | | 359.428 | 63 | |
| | | | 310.813 | 110/110/56 | | 307.003 | 75 | |
| | | | | | | 308.003 | 90 | |
| | | |  | Silent-db20 Kombibogeneckabzweig links | | 310.003 | 110 | |
| | | | 308.817 | 90/90/56 | | 312.003 | 135 | |
| | | | 310.817 | 110/90/56 | | 315.003 | 160 | |
| | | | 310.117 | 110/110/56 | | | | |
|  | Silent-db20 Reduktion exzentrisch | |  | Silent-db20 Kombibogeneckabzweig rechts | |  | Silent-db20 Elektromuffe | |
| 306.050 | 63/56 | | 308.815 | 90/90/56 | | 363.771 | 56 | |
| 307.050 | 75/56 | | 310.815 | 110/90/56 | | 364.771 | 63 | |
| 307.060 | 75/63 | | 310.115 | 110/110/56 | | 365.771 | 75 | |
| 308.050 | 90/56 | | | | | 366.771 | 90 | |
| 308.060 | 90/63 | | | | | 367.771 | 110 | |
| 308.070 | 90/75 | | | | | 312.771 | 135 | |
| 310.050 | 110/56 | | | | | 369.771 | 160 | |
| 310.060 | 110/63 | | | | | | | |
| 310.070 | 110/75 | | | | | | | |
| 310.080 | 110/90 | | | | | | | |
| 312.100 | 135/110 | | | | | | | |
| 312.125 | 135/125 | | | | | | | |
| 315.100 | 160/110 | | | | | | | |
| 315.126 | 160/135 | | | | | | | |

| Art.-Nr. | Dimension | Anzahl | Art.-Nr. | Dimension | Anzahl | Art.-Nr. | Dimension | Anzahl |
|--|--|--------|---|---|--------|---|---------------------------------|--------|
|  | Silent-db20 Apparate-Übergangsstück | |  | Grundplatten-Dämmset | |  | Geberit Isol Flex Rohrzuschnitt | |
| 305.040 | Silent-db20/ Steckmuffe 50 | | 359.145 | M10 | | 356.010 | 56/63 | |
| | | | 359.146 | 1/2" | | 356.011 | 75 | |
| | | | | | | 356.012 | 90 | |
| | | | | | | 356.013 | 110 | |
| | | | | | | 356.014 | 125/135 | |
|  | Silent-db20 Enddeckel | |  | Gewindestange M10 | |  | Rohrbelüftungsventil | |
| 305.005 | 56 | | 362.836 | 50 cm | | 310.007 | | |
| 307.005 | 75 | | | | | | | |
| 308.005 | 90 | |  | Silent-db20 Körperschall- Schutzschlauch, 5 mm stark, Rolle zu 15 m | | | | |
| 310.005 | 110 | | 305.921 | 56/63 | | | | |
| 312.005 | 135 | | 306.921 | 63/75 | | | | |
| | | | 307.921 | 75/90 | | | | |
| | | | 308.921 | 90/110 | | | | |
| | | | 310.921 | 110/135 | | | | |
| | | | 312.921 | 135 | | | | |
|  | Silent-db20 Enddeckel | | | | | | | |
| 315.005 | 160 | | | | | | | |
|  | Silent-db20 Universal- rohrschelle mit Dämm- einlage M10/ 1/2" | |  | Silent-db20 Körper- schall-Schutzbandage, 3 mm, Rolle zu 3,6 m | | | | |
| 305.812 | 56 | | 300.007 | | | | | |
| 306.812 | 63 | | | | | | | |
| 307.812 | 75 | |  | Brandschutzmanschette RS90Plus EN | | | | |
| 308.812 | 90 | | 348.300 | 40-56 | | | | |
| 310.812 | 110 | | 348.301 | 63-75 | | | | |
| 312.812 | 125 | | 348.302 | 90 | | | | |
| 312.813 | 135 | | 348.303 | 110 | | | | |
| 315.812 | 160 | | 348.304 | 125/135 | | | | |
| 315.813 | 178 | | 348.305 | 160 | | | | |
|  | Befestigungsplatte 40 x 120 mm | |  | Geberit Isol Flex Schalldämmmatte 78 x 118 cm | | | | |
| 362.837 | M10 | | 356.016 | | | | | |
| 363.839 | 1/2" | | | | | | | |
| 362.828 | 1" | | | | | | | |